FREE

seafoam churn dash quilt

SUPPLIES & TOOLS:

- GO! Dies:
  Churn Dash-9″ finished
  Square-2″ (1-1/2″ finished)
  Strip Cutter-2″ (1-1/2″ finished)
  Strip Cutter-2-1/2″ (2″ finished)
- Fabric 1 (light aqua)—1 yard
- Fabric 2 (white)—3-1/2 yards
- Fabric 3 (medium aqua)—1 yard
- Fabric 4 (dark aqua)—1-3/8 yards
- Fabric 5 (brown)—1-1/2 yards (includes binding)
- Batting—77″ x 90″
- Backing—5 yds.
- Sewing machine
- Basic sewing supplies
- Iron & pressing surface

DIRECTIONS:

Finished Size: 69″ x 83″
Finished block size: 11-1/2″ x 11-1/2″

Fabric 1:
Cut 6—4-1/2″ x width of fabric (WOF) strips.
Sub cut 120—2″ x 3-1/2″ rectangles

Fabric 2:
Cut 6—8-3/4″ x WOF strips
Sub cut 120—2″ x 3-1/2″ rectangles
Sub cut 120—3″ finished half square triangles
Cut 3—4″ x WOF strips
Sub cut 30—3-1/2″ squares
Cut 24—2″ x WOF strips for sashing
Sub cut into 71—2″ x 12-1/2″ rectangles

Fabric 3:
Cut 18—2″ x WOF strips
Sub cut into 30—2″ x 11″ rectangles and 30—2″ x 9-1/2″ rectangles

Fabric 4:
Cut 20—2″ x WOF strips
Sub cut into 30—2″ x 12-1/2″ rectangles and 30—2″ x 11″ rectangles

Skill Level: Some experience necessary

Crafting Time: Varies

Courtesy of AccuQuilt®

Please read and follow all manufacturers' instructions for all tools and materials used. Provide adult supervision if children participate in this project. #135-3864

©2014 Jo-Ann Stores, Inc.

Fabric 5:
Cut 6—4-3/4" x WOF strips
Sub cut 120—3" finished half square triangles
Cut 1—7" x WOF strip
Sub cut 42—2" squares
Cut 8—2-1/2" x WOF strips for binding

Sewing:
Note: Press seams toward the darker fabric or for the least bulk.

Block Assembly
1. Join one Fabric #1, 2" x 3-1/2" rectangle to the long edge of each Fabric #2, 2" x 3-1/2" rectangle as shown Figure 1. Make 120 rectangular units.
2. Join one Fabric #2, 3" finished half square triangle and one Fabric #5, 3" finished half square triangle along their long edges to make a half square triangle unit as shown in Figure 2. Make 120 half square triangle units.
3. Lay out four rectangular units, four half square triangle units, and one Fabric #2, 3-1/2" square in three rows as shown in Figure 3. Pin and sew the pieces into rows; join the rows to make one Churn Dash unit. The unit should measure 9-1/2" x 9-1/2". Make 30 units.
4. Pin and sew one Fabric #3, 2" x 9-1/2" rectangle to the left side of one Churn Dash unit.
5. Pin and sew one Fabric #3, 2" x 11" rectangle to the top of the unit from Step 4.
6. Pin and sew one Fabric #4, 2" x 11" rectangle to the right side of the unit from Step 5.
7. Pin and sew one Fabric #4, 2" x 12-1/2" rectangle to the bottom of the unit from Step 6 to make one block as shown in Figure 4. The block should measure 12-1/2" x 12-1/2".
8. Repeat Steps 4–7 to make a total of 30 blocks.

Quilt Assembly
1. Pin and sew together six Fabric #5, 2" squares and five Fabric #2, 2" x 12-1/2" rectangles according to the quilt diagram to make a sashing row. Press seams toward Fabric #2 rectangles. Make seven rows.
2. Pin and sew together six Fabric #2, 2" x 12-1/2" rectangles and five blocks according to the quilt diagram to make a block row. Press seams toward Fabric #2 rectangles. Make six rows.
3. Pin and sew rows together, alternating the rows. Press seams toward sashing rows.

QUILTING AND FINISHING
1. Layer quilt top with batting and backing.
2. Pin or baste layers together.
3. Quilt as desired
4. Add Fabric #5 binding strips, mitering corners.

Fig. 1

Fig. 2


Fig. 3


Fig. 4