

JOANN



Basic Stitch Anti-Pilling Snugglepuff

Skill Level: Advanced

Crafting Time: Varies



SUPPLIES & TOOLS:

- Lion Brand® Basic Stitch® Anti-Pilling™ Yarn:
 - Deco Rose #112: 3 balls (A)
 - Ecru #098: 1 ball (B)
 - Grass #130: 1 ball (C)
 - Blush Heather #409: 1 ball (D)
- Lion Brands® Stitch Markers
- Lion Brand® Large-Eyed Blunt Needle
- Crochet Hook: Size D-3
- Black Scrap Yarn
(for embroidering facial features)
- Fiberfill Stuffing

SIZING:

About 9" tall

ABBREVIATIONS:

beg = begin(ning)
ch = chain
ch-sp(s) = chain space(s) previously made
hdc = half double crochet
rep = repeat
rnd(s) = round(s)
sc = single crochet
sl st = slip stitch
st(s) = stitch(es)

GAUGE:

22 sc + 24 rnds = about 4"
Exact gauge is not essential for this project.

BASIC STITCH ANTI-PILLING SNUGGLEPUFF PATTERN

NOTES:

Snugglepuff is worked in 13 pieces: Body, 2 Cheeks, 2 Arms, 2 Feet, 2 Outer Ears, 2 Inner Ears, a Face Patch, and a Belly Patch. Body, Cheeks, Arms, and Feet are worked in continuous rnds (spiral). Do not join first st of rnds to last st with a sl st. Do not turn at the beg of rnds. Outer Ears, Inner Ears, Face Patch and Belly Patch are worked back and forth in rows. To change yarn color when working in rnds, fasten off old color then draw up a loop of new color in same st as joining sl st, as instructed. To change yarn color when working in rows. Work last st of old color to last yarn over. Yarn over with new color and draw through all loops on hook to complete st. Proceed with new color. Fasten off old color. Work tightly with a small hook so stuffing wouldn't show through. Details are embroidered onto piece.

STITCH EXPLANATIONS

inv-dec (invisible single crochet decrease)

Insert hook in front loop only of each of next 2 sts, yarn over and draw through both sts, yarn over and draw through 2 loops on hook - 1 st decreased.

sc2tog (sc 2 sts together) (Insert hook in next st and draw up a loop) twice, yarn over and draw through all 3 loops on hook - 1 st decreased.

SAFETY NOTE:

This piece is not a toy. The small pieces can present a choking hazard. Never leave a baby or child unattended with this project.

BODY:

With A, beg at lower edge of Body, ch 32.

Rnd 1: Sc in 2nd ch from hook and in next 29 ch, 5 sc in last ch; working along opposite side of foundation ch, sc in next 30 ch, 5 sc in skipped ch at beg of rnd; do not join, work in continuous rnds (spiral) - you will have 70 sc in

this rnd.

Place a marker in last st made to indicate end of rnd. Move marker up as each rnd is completed.

Rnd 2: * Sc in next 30 sts, 2 sc in each of next 5 sts; rep from * once more - 80 sc.

Rnd 3: * Sc in next 30 sts, (2 sc in next st, sc in next st) 5 times; rep from * once more - 90 sc.

Rnd 4: Sc in next 7 sts, 2 sc in next st, * sc in next 14 sts, 2 sc in next st; rep from * to last 7 sts, sc in last 7 sts - 96 sts.

Rnd 5: * 2 sc in next st, sc in next 15 sts; rep from * around - 102 sc.

Rnd 6: Sc in next 8 sts, 2 sc in next st, * sc in next 16 sts, 2 sc in next st; rep from * to last 8 sts, sc in last 8 sts - 108 sts.

Rnd 7: * 2 sc in next st, sc in next 17 sts; rep from * around - 114 sc.

Rnd 8: Sc in next 9 sts, 2 sc in next st, * sc in next 18 sts, 2 sc in next st; rep from * to last 9 sts, sc in last 9 sts - 120 sts.

Rnd 9: * 2 sc in next st, sc in next 19 sts; rep from * around - 126 sc.

Rnd 10: Sc in each st around.

Rnd 11: Sc in next 10 sts, 2 sc in next st, * sc in next 20 sts, 2 sc in next st; rep from * to last 10 sts, sc in last 10 sts - 132 sts.

Rnd 12: Sc in each st around.

Rnd 13: * 2 sc in next st, sc in next 21 sts; rep from * around - 138 sc.

Rnd 14: Sc in each st around.

Rnd 15: Sc in next 11 sts, 2 sc in next st, * sc in next 22 sts, 2 sc in next st; rep from * to last 11 sts, sc in last 11 sts - 144 sts.

Rnd 16: Sc in each st around.

Rnd 17: * 2 sc in next st, sc in next 23 sts; rep from * around - 150 sc.

Rnds 18-38: Sc in each st around.

Rnd 39: * Sc in next 23 sts, inv-dec; rep from * around - 144 sc.

Rnd 40: Sc in next 11 sts, inv-dec, * sc in next 22 sts, inv-dec; rep from * to last 11 sts, sc in last 11 sts - 138 sts.

BASIC STITCH ANTI-PILLING SNUGGLEPUFF PATTERN

Rnd 41: * Sc in next 21 sts, inv-dec; rep from * around - 132 sc.

Rnd 42: Sc in next 10 sts, inv-dec, * sc in next 20 sts, inv-dec; rep from * to last 10 sts, sc in last 10 sts - 126 sc.

Rnd 43: * Sc in next 19 sts, inv-dec; rep from * around - 120 sc.

Rnd 44: Sc in next 9 sts, inv-dec, * sc in next 18 sts, inv-dec; rep from * to last 9 sts, sc in last 9 sts - 114 sc.

Rnd 45: * Sc in next 17 sts, inv-dec; rep from * around - 108 sc.

Rnd 46: Sc in next 8 sts, inv-dec, * sc in next 16 sts, inv-dec; rep from * to last 8 sts, sc in last 8 sts - 102 sc.

Rnd 47: * Sc in next 15 sts, inv-dec; rep from * around - 96 sc.

Rnd 48: Sc in next 7 sts, inv-dec, * sc in next 14 sts, inv-dec; rep from * to last 7 sts, sc in last 7 sts - 90 sc.

Rnd 49: * Sc in next 13 sts, inv-dec; rep from * around - 84 sc.

Rnd 50: Sc in next 6 sts, inv-dec, * sc in next 12 sts, inv-dec; rep from * to last 6 sts, sc in last 6 sts - 78 sc.

Rnd 51: * Sc in next 11 sts, inv-dec; rep from * around - 72 sc.

Rnd 52: Sc in next 5 sts, inv-dec, * sc in next 10 sts, inv-dec; rep from * to last 5 sts, sc in last 5 sts - 66 sc.

Rnd 53: * Sc in next 9 sts, inv-dec; rep from * around - 60 sc.

Rnd 54: Sc in next 4 sts, inv-dec, * sc in next 8 sts, inv-dec; rep from * to last 4 sts, sc in last 4 sts - 54 sc.

Rnd 55: * Sc in next 7 sts, inv-dec; rep from * around - 48 sc.

Stuff piece firmly, take care when stuffing the lower corners to keep them even.
Continue stuffing as work progresses.

Rnd 56: Sc in next 3 sts, inv-dec, * sc in next 6 sts, inv-dec; rep from * to last 3 sts, sc in last 3 sts - 42 sc.

Rnd 57: * Sc in next 5 sts, inv-dec; rep from * around - 36 sc.

Rnd 58: Sc in next 2 sts, inv-dec, * sc in next 4 sts, inv-dec; rep from * to last 2 sts, sc in last 2 sts - 30 sc.

Rnd 59: * Sc in next 3 sts, inv-dec; rep from * around - 24 sc.

Rnd 60: Sc in next st, inv-dec, * sc in next 2 sts, inv-dec; rep from * to last st, sc in last st - 18 sc.

Rnd 61: * Sc in next st, inv-dec; rep from * around - 12 sc.

Rnd 62: * Inv-dec; rep from * around - 6 sc.
Fasten off, leaving a long tail for sewing.
Sew rem 6 sts closed.

Weave in ends.

CHEEKS: (Make 2)

With D, ch 2.

Rnd 1: Work 6 sc in 2nd ch from hook; do not join, work in continuous rnds.

Place a marker in last st made to indicate end of rnd. Move marker up as each rnd is completed.

Rnd 2: Work 2 sc in each st around - you will have 12 sc in this rnd.

Rnd 3: * 2 sc in next st, sc in next st; rep from * around - 18 sc.

Fasten off, leaving a long tail for sewing
Cheek to Cloud.

ARMS: (Make 2)

With A, beg at hand, ch 2.

Rnd 1: Work 6 sc in 2nd ch from hook; do not join, work in continuous rnds.

Place a marker in last st made to indicate end of rnd. Move marker up as each rnd is completed.

Rnd 2: Work 2 sc in each st around - you will have 12 sc in this rnd.

Rnd 3: * 2 sc in next st, sc in next st; rep from * around - 18 sc.

Rnd 4: Sc in next st, 2 sc in next st, * sc in next 2 sts, 2 sc in next st; rep from * to last st, sc in last st - 24 sc.

BASIC STITCH ANTI-PILLING SNUGGLEPUFF PATTERN

Rnd 5: * 2 sc in next st, sc in next 3 sts; rep from * around - 30 sc.

Rnds 6 and 7: Sc in each st around.
Change to B.

Rnds 8-15: Rep Rnd 6 and change yarn color as follows: Work next 2 rnds with B, 2 rnds with C, 2 rnds with D, and 2 rnds with A. Do not fasten off A.

Bring edges of last rnd together, matching 15 sts along each side. With A and working through both thicknesses, ch 1, sc in next 15 sts to close top of Arm. Do not stuff Arm. Fasten off, leaving a long tail for sewing.

FEET: (Make 2)

With A, ch 2.

Rnd 1: Work 6 sc in 2nd ch from hook; do not join, work in continuous rnds.

Place a marker in last st made to indicate end of rnd. Move marker up as each rnd is completed.

Rnd 2: Work 2 sc in each st around - you will have 12 sc in this rnd.

Rnd 3: * 2 sc in next st, sc in next st; rep from * around - 18 sc.

Rnd 4: Sc in next st, 2 sc in next st, * sc in next 2 sts, 2 sc in next st; rep from * to last st, sc in last st - 24 sc.

Rnd 5: * 2 sc in next st, sc in next 3 sts; rep from * around - 30 sc.

Rnd 6: Sc in next 2 sts, 2 sc in next st, * sc in next 4 sts, 2 sc in next st; rep from * to last 2 sts, sc in last 2 sts - 36 sc.

Rnd 7: * 2 sc in next st, sc in next 5 sts; rep from * around - 42 sc.

Rnd 8: Sc in next 3 sts, 2 sc in next st, * sc in next 6 sts, 2 sc in next st; rep from * to last 3 sts, sc in last 3 sts - 48 sc.

Rnd 9-12: Sc in each st around.

Rnd 13: Sc in next st, inv-dec, (sc in next 2 sts, inv-dec) 5 times, sc in each st to end of rnd - 42 sc.

Rnd 14: (Sc in next st, inv-dec) 6 times, sc in each st to end of rnd - 36 sc.

Rnd 15: (Inv-dec) 6 times, sc in each st to end of rnd - 30 sc.

Rnd 16: Sc in next 7 sts, inv-dec, (sc in next 2 sts, inv-dec) 5 times, sc in last st - 24 sc.

Rnd 17: Hdc in each st around.

Fasten off, leaving a long tail for sewing. Stuff piece firmly.

OUTER EARS: (Make 2)

With A, ch 2.

Row 1: Work 2 sc in 2nd ch from hook - 2 sc.

Row 2: Ch 1, turn, 2 sc in first st, sc in next st - 3 sc.

Rows 3-9: Ch 1, turn, 2 sc in first st, sc in each st across - 10 sc in Row 9.

Row 10: Ch 1, turn, 2 sc in first st, sc in each st to last st, 2 sc in last st - 12 sc.

Row 11: Ch 1, turn, sc in each st across.

Rows 12-17: Rep Rows 10 and 11 for 3 more times - 18 sc in Row 17.

Edging Rnd: Ch 1, turn, 2 sc in first st, sc in each st to last st, 2 sc in last st; work 18 sc evenly spaced along side edge, 3 sc in skipped ch at beg of Row 1, work 18 sc evenly spaced along next side edge; join with sl st in first sc - 59 sc.

Fasten off, weave in ends.

INNER EARS: (Make 2)

With A, ch 2.

Rows 1-17: Work same as Rows 1-18 of Outer Ear, changing yarn color as follows: Work first 2 rows with A, 2 rows with B, 2 rows with C, 2 rows with D, 2 rows with A, 2 rows with B, 2 rows with C, 2 rows with D, and 1 row with A. Do not fasten off A.

Edging Rnd: With A, work same as Edging of Outer Ear - 59 sc.

Do not fasten off.

Join Outer and Inner Ear

Place Inner Ear on top of one Outer Ear; with A and working through both thicknesses, sc in each st around; join with sl st in first sc.

Fasten off, leaving a long tail for sewing.

BASIC STITCH ANTI-PILLING SNUGGLEPUFF PATTERN

FACE PATCH:

With B, ch 2.

Row 1: Work 3 sc in 2nd ch from hook - 3 sc.

Row 2: Ch 1, turn, 2 sc in each st across - 6 sc.

Rows 3-8: Ch 1, turn, 2 sc in first st, sc in each st to last st, 2 sc in last st - 18 sc in Row 8.

Rows 9-16: Ch 1, turn, sc in each st across.

Row 17: Ch 1, turn, 2 sc in first st, sc in each st to last st, 2 sc in last st - 20 sc.

Rows 18-27: Ch 1, turn, sc in each st across.

Row 28: Ch 1, turn, sc2tog, sc in each st to last 2 sts, sc2tog - 18 sc.

Rows 29-36: Ch 1, turn, sc in each st across.

Rows 37-42: Ch 1, turn, sc2tog, sc in each st to last 2 sts, sc2tog - 6 sc in Row 42.

Row 43: Ch 1, turn, (sc2tog) 3 times - 3 sc.

Edging Rnd 1: Ch 1, turn, sc in 3 sts, work 1 sc in end of each row along side edge, 3 sc in skipped ch at beg of Row 1, work 1 sc in end of row along opposite side edge; join with sl st in first sc - 92 sc.

Change to A.

Edging Rnd 2: With A, ch 1, sc in each st around; join with sl st in first sc.

Fasten off, leaving a long tail for sewing.

BELLY PATCH:

With A, ch 2.

Rows 1-43: Work same as Rows 1-43 of Face Patch, changing yarn color as follows: Work first 2 rows with A, (2 rows with B, 2 rows with C, 2 rows with D, 2 rows with A) 5 times, and 1 row with A. Do not fasten off A.

Edging Rnd: With A, work same as Edging Rnd 1 of Face Patch.

Fasten off, leaving a long tail for sewing.

FINISHING:

Using photograph as a guide and yarn tails still attached to pieces whenever possible, assemble Snugglepuff as follows:

With A, sew Belly Patch to Rnds 4-26 and centered on front of Body.

With black scrap yarn, embroider one straight stitch eye between Rows 7 and 18, and one straight stitch eye between Rows 25 and 35 of Face Patch, making each eye about 2 rows tall.

With black scrap yarn, embroider straight stitch outline of mouth between Rows 17 and 26 of Face Patch, about 2 sts below inner edge of eyes. With D, fill in inside of mouth.

With D, sew Cheeks to Face Patch, in line with mouth and with outer edges of Cheeks.

With A, sew Face Patch between Rnds 28 and 50 of Body, in line with Belly Patch.

With A, sew one Ear on each side of top of Body, sew lower edge of Ear in a crescent shape between Rnds 25 and 48 and sew down 3-4 sts of top edge of Ear to Body, to curl ear at inner top.

With A, sew Arms to sides of Body, directly below Ears.

With A, sew Feet to bottom of Body.

Weave in ends.